Product datasheet

DK-520-90-LENS-399H1

DARKOO® Optics
Tel: (86)760-85332970 Fax: (86)760-85335526
地址: 广东省中山市翠亨新区纬十二路达尔科工业园
E-mail: darkoo@darkoo.cc
Website: http://www.darkoo.cc

Tel: (86)760-85332970 Fax: (86)760-85335526
Address: DARKOO Industrial Park Wei 12 Road Tsuihang New District Zhongshan City, Guangdong. China
E-mail: darkoo@darkoo.cc Website: http://www.darkoo.cc

Contents

Product datasheet 1
Contents 2
Part number explanation 3
General information 4
Specification 5
Dimension 6-7
Packing information 8

Part number explanation

DK -520 -90 –LENS –399H1

D1 D2 D3 D4 D5

D1：Company code（DARKOO）

D2：Product Length

D3：Product Angle

D4：Product type

D5：Beam quantity

General information

❖ **Applications**

❖ Professional stadium lighting can be matched with both amateuand professional venues



❖ **Material information**

- Lens material：PC(UV)
- The working temperature is：PC-35ºC～+120º C
- Storage environment temperature is 0º C～40º C，humidity is 30%~95%

❖ **Application Notes**

- Please use a litter water and soft fabric (air-laid paper) to clean the lens if necessary.
- Forbid to use industrial solvent to clean the lens, such as alcohol.
- Optic Lens has the function to change the ray of light, it is made of optical material, the effect shall be influenced once pollute. Please do not open the packing before use it，to avoid the dust pollution.
- Protect the product from the sun and other ultraviolet ray, as these will lead to aging, change color, crack, etc.
- Please ware gloves once install the lens, avoid to abrasion the lens surface.
- Forbid to use acidic or alkaline solution touch the product, avoid to generate the chemical reactions.


Specification


Picture	Item No	Angle	Matched COB
	DK-520-90-LENS-399H1	90°	3030
			
Photometric data (Simulated)			

Dimension


1、Installation method：Screw

2、 Lens dimension





3、Waterproof ring dimension



Packing information

Material	Size	Quantity
Carton	55.5*15*25.5CM	-PCS